

Michigan
Adult Treatment Protocols
HEAT EMERGENCIES

Date: May 31, 2012

Page 1 of 3

Heat Emergencies

Pre-Medical Control

MFR/EMT/SPECIALIST/PARAMEDIC

1. Follow **General Pre-hospital Care Protocol**.
2. Determine history/evidence of heat exposure.

EMT/SPECIALIST/PARAMEDIC

3. Check blood glucose and treat hypoglycemia per **Altered Mental Status Protocol**.

HEAT CRAMPS:

MFR/EMT/SPECIALIST/PARAMEDIC

1. Move the patient to a cool environment and attempt oral liquids.
2. Contact Medical Control.

HEAT EXHAUSTION:

MFR/EMT/SPECIALIST/PARAMEDIC

1. Move the patient to a cool environment.
2. Remove Tight Clothing.
3. Cool patient, provide air conditioning/fanning. Avoid chilling/shivering.

SPECIALIST/PARAMEDIC

4. NS IV/IO fluid bolus up to 1 liter, wide open.
 - A. Patient may take oral fluid replacement rather than IV if no nausea. Allow oral intake of cool fluids or water (may use commercial sports/rehydration drinks). Do not permit patient to drink if altered mental status, abdominal pain or nausea. Avoid carbonated, alcoholic and caffeinated beverages.

EMT/SPECIALIST/PARAMEDIC

5. Contact Medical Control.

HEAT STROKE:

MFR/EMT/SPECIALIST/PARAMEDIC

1. Move the patient to a cool environment.
2. Remove tight clothing.
3. Immediate cooling – provide air conditioning and fanning. Avoid chilling/shivering.
4. Place patient in semi-reclining position with head elevated.

SPECIALIST/PARAMEDIC

5. NS IV/IO fluid bolus up to 1 liter, wide open, repeat as indicated.

EMT/SPECIALIST/PARAMEDIC

6. Contact Medical Control.

MCA Name Delta County
MCA Board Approval Date 8/8/13
MDCH Approval Date 9/6/13
MCA Implementation Date 11/1/13



Section 1-9

E F Bigsby, MD

Michigan
Adult Treatment Protocols
HEAT EMERGENCIES

Date: May 31, 2012

Page 2 of 3

MANAGEMENT OF PATIENT WITH EXERTIONAL HEAT STROKE

7. Cool as quickly as possible via ice or cool-water immersion, if possible. Alternative means such as water dousing may be used if immersion is not possible, dousing is not as effective.
 - A. Cool as much of the body as possible, especially the torso.
8. **Cool first, transport second when possible.**

SPECIALIST/PARAMEDIC

9. Obtain vascular access; consider resting the patient's arm on the side of immersion tub to start IV while patient is still immersed.
10. If patient experiences seizures, refer to **Seizures Protocol**.

PARAMEDIC

11. Monitor ECG (lead cables can go in the water).

MCA Name Delta County
MCA Board Approval Date 8/8/13
MDCH Approval Date 9/6/13
MCA Implementation Date 11/1/13



Section 1-9

Michigan
Adult Treatment Protocols
HEAT EMERGENCIES

Date: May 31, 2012

Page 3 of 3

